



[Go to Product page](#)

Datasheet for ABIN4998920

## anti-Calcineurin B antibody (pTyr106) (Alexa Fluor 750)

### Overview

Quantity:	100 µL
Target:	Calcineurin B (CAN)
Binding Specificity:	pTyr106
Reactivity:	Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Calcineurin B antibody is conjugated to Alexa Fluor 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic phosphopeptide derived from human Calcineurin B around the phosphorylation site of Tyr106
Isotype:	IgG
Cross-Reactivity:	Zebrafish (Danio rerio)
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Horse, Rabbit, Guinea Pig, Drosophila
Purification:	Purified by Protein A.

### Target Details

Target:	Calcineurin B (CAN)
---------	---------------------

## Target Details

---

Alternative Name: Calcineurin B ([CAN Products](#))

---

Background: Synonyms: Calcineurin B phospho Y106, Calcineurin B phospho Tyr106, p-Calcineurin B Tyr106, Calcineurin subunit B type 1, CALNB1, CANB1\_HUMAN, Cna2, CNB, CNB1, OTTHUMP00000201960, OTTHUMP00000201961, Ppp3r1, PPP3R1 protein phosphatase 3 formerly 2B, regulatory subunit B, alpha isoform, alpha isoform calcineurin B, type I, calcineurin B, type I 19 kDa, protein phosphatase3 formerly2B, regulatory subunit B, alpha isoform antibody Protein phosphatase 2B regulatory subunit 1, Protein phosphatase 2B regulatory subunit B alpha, protein phosphatase 3 formerly 2B, regulatory subunit B, 19 kDa, alpha isoform calcineurin B, type I, Protein phosphatase 3 regulatory subunit B alpha, Protein phosphatase 3 regulatory subunit B alpha isoform 1.

Background: In eukaryotes, the phosphorylation and dephosphorylation of proteins on serine and threonine residues is an essential means of regulating a broad range of cellular functions including division, homeostasis and apoptosis. A group of proteins that are intimately involved in this process are the protein phosphatases. In general, the protein phosphatase (PP) holoenzyme is a trimeric complex composed of a regulatory subunit, a variable subunit and a catalytic subunit. Four major families of protein phosphatase catalytic subunit have been identified, designated PP1, PP2A, PP2B and PP2C. An additional protein phosphatase catalytic subunit, PPX (also known as PP4), is a putative member of a novel PP family. The PP2B family comprises subfamily members PP2B-A alpha, PP2B-A Beta and PP2B-A Gamma. Two additional regulatory subunits been identified, designated PP2B-B1 and PP2B-B2.

Gene ID: 5534

---

Pathways: [Cellular Glucan Metabolic Process](#), [VEGF Signaling](#)

---

## Application Details

---

Application Notes: IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Concentration: 1 µg/µL

---

Buffer: Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

---

## Handling

---

50 % Glycerol.

---

Preservative: ProClin

---

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

---

Storage: -20 °C

---

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

Expiry Date: 12 months