antibodies .- online.com





anti-NCAPG2 antibody (AA 451-550) (Alexa Fluor 680)



| $C_0 + c$ | Produc | + |
|-----------|--------|--------|
| | Promi | บ กลกย |
| | | |

| \sim | | | | | |
|--------|----|----|----|-------------|---|
| () | VE | ۲۱ | /1 | \triangle | Λ |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | NCAPG2 |
| Binding Specificity: | AA 451-550 |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This NCAPG2 antibody is conjugated to Alexa Fluor 680 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human CAPG2 |
|-----------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse |
| Predicted Reactivity: | Rat |
| Purification: | Purified by Protein A. |

Target Details

| Target: | NCAPG2 |
|-------------------|-------------------------|
| Alternative Name: | CAPG2 (NCAPG2 Products) |

Target Details

| Background: | Synonyms: Chromosome associated protein G2, LUZP5, CAP G2, Leucine zipper protein 5, Non |
|---------------------|---|
| | SMC condensin II complex subunit G2, Condensin 2 complex subunit G2, NCAPG 2, Non SMC |
| | condensin II complex, subunit G2, CNDG2_HUMAN. |
| | Background: Regulatory subunit of the condensin-2 complex, a complex which establishes |
| | mitotic chromosome architecture and is involved in physical rigidity of the chromatid axis. |
| | NCAPG2 is 1 of 3 non-SMC subunits that define condensin II. Condensin complexes I and II |
| | play essential roles in mitotic chromosome assembly and segregation. Both condensins |
| | contain 2 invariant structural maintenance of chromosome (SMC) subunits, SMC2 and SMC4, |
| | but they contain different sets of non-SMC subunits. NCAPG2 is 1 of 3 non-SMC subunits that |
| | defines condensin II. |
| Gene ID: | 54892 |
| UniProt: | Q86XI2 |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |
| | |