antibodies -online.com





anti-CDCA3 antibody (AA 201-268) (Alexa Fluor 680)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	CDCA3
Binding Specificity:	AA 201-268
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDCA3 antibody is conjugated to Alexa Fluor 680
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CDCA3
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human, Mouse
Purification:	Purified by Protein A.

Target Details

Target:	CDCA3
Alternative Name:	CDCA3 (CDCA3 Products)

Target Details

rarget Details	
Background:	Synonyms: CDCA 3, Cell division cycle associated 3, Cell division cycle associated protein 3, Gene rich cluster C8, Gene rich cluster protein C8, GRCC 8, GRCC8, MGC2577, TOME 1, TOME1, Trigger of mitotic entry 1, C8 antibody, Trigger of mitotic entry protein 1, CDCA3_HUMAN. Background: CDCA3 (Cell division cycle associated 3) is an F-box-like protein which is required for entry into mitosis. It is associated with SKP1 as part of a SCF (SKP1-cullin-F-box) protein ligase complex, and is required for the ubiquitination and degradation of the CDK1 inhibitory tyrosine kinase WEE1 at G2/M phase.
Gene ID:	83461
Application Details	
Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months