antibodies -online.com





anti-CENPT antibody (AA 63-72) (Alexa Fluor 680)



| _ | | | | | |
|---|---|----|----|---|---|
| U | V | er | VI | е | W |

| Quantity: | 100 μL | |
|----------------------|---|--|
| Target: | CENPT | |
| Binding Specificity: | AA 63-72 | |
| Reactivity: | Mouse | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This CENPT antibody is conjugated to Alexa Fluor 680 | |
| Application: | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human CENPT |
|-----------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Mouse |
| Predicted Reactivity: | Human |
| Purification: | Purified by Protein A. |

Target Details

| Target: | CENPT |
|-------------------|------------------------|
| Alternative Name: | CENPT (CENPT Products) |

Target Details

| Background: | Synonyms: C16orf56, CENP T, CENP-T, Cenpt, CENPT_HUMAN, Centromere protein T, | |
|---------------------|--|--|
| | Chromosome 16 open reading frame 56, ICEN22, Interphase centromere complex protein 22. | |
| | Background: Component of the CENPA-NAC (nucleosome-associated) complex, a complex that | |
| | plays a central role in assembly of kinetochore proteins, mitotic progression and chromosome | |
| | segregation. The CENPA-NAC complex recruits the CENPA-CAD (nucleosome distal) complex | |
| | and may be involved in incorporation of newly synthesized CENPA into centromeres. CENP-T is | |
| | one of the basic inner kinetochore proteins with most further proteins binding downstream, | |
| | suggesting a fundamental role of CENP-T in kinetochore function. | |
| Gene ID: | 80152 | |
| UniProt: | Q96BT3 | |
| Application Details | | |
| Application Notes: | IF(IHC-P) 1:50-200 | |
| | IF(IHC-F) 1:50-200 | |
| | IF(ICC) 1:50-200 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | |
| | 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Storage: | -20 °C | |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 12 months | |