# antibodies .- online.com





# anti-CETP antibody (AA 355-450) (Alexa Fluor 680)



Go to Product page

| $\sim$ |     |    |     |             |    |
|--------|-----|----|-----|-------------|----|
|        | 1/6 | ⊃r | \/I | $\triangle$ | ٨/ |

| Quantity:            | 100 μL   |  |
|----------------------|--|--|
| Target:              | CETP   |  |
| Binding Specificity: | AA 355-450   |  |
| Reactivity:          | Mouse  |  |
| Host:                | Rabbit   |  |
| Clonality:           | Polyclonal   |  |
| Conjugate:           | This CETP antibody is conjugated to Alexa Fluor 680  |  |
| Application:         | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)) |  |

## **Product Details**

| Immunogen:            | KLH conjugated synthetic peptide derived from human CETP |
|-----------------------|--|
| Isotype:              | IgG  |
| Cross-Reactivity:     | Mouse  |
| Predicted Reactivity: | Human  |
| Purification:         | Purified by Protein A.                                   |

### **Target Details**

| Target:           | CETP                 |
|-------------------|----------------------|
| Alternative Name: | CETP (CETP Products) |

#### **Target Details**

| Backo | round:   |
|-------|----------|
| Backu | irouria. |

Synonyms: BPF, CETP\_HUMAN, Cholesteryl ester transfer, Cholesteryl ester transfer protein, Cholesteryl ester transfer protein plasma, Cholesteryl ester transfer protein precursor, HDLCQ10, Lipid transfer protein I.

Background: High density lipoproteins (HDLs) have been proposed to function jointly with lecithin:cholesterol acyltransferase and CETP to facilitate cholesterol transport from tissues to the liver. This mechanism, referred to as reverse cholesterol transport, is physiologically important because it maintains systemic cholesterol levels. CETP is responsible for neutral lipid transfer activity in plasma in numerous species. Since CETP is able to accelerate specifically the exchange of lipid components between pro- and anti-atherogenic lipoprotein fractions, it may be a key determinant of the global atherogenicity of the plasma lipoprotein profile and arises as a possible target in atherosclerosis prevention. CETP has an important role in reverse cholesterol transport and shaping and affecting the composition of plasma lipoproteins. In general elevated levels of CETP have been associated with increased risk of coronary heart disease.

Gene ID:

1071

#### **Application Details**

| Ann | lication | Notes |
|-----|----------|-------|
|     |          |       |

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

### Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | -20 °C   |
| Storage Comment:   | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                                  |

| $\vdash$ | land  | lına |
|----------|-------|------|
|          | iaria | шц   |

Expiry Date:

12 months