

Datasheet for ABIN5000112

anti-PLEKHO1 antibody (AA 51-170) (AbBy Fluor® 680)



Go to Product page

\sim					
	1//	Р	rv	I P	۱۸/

Quantity:	100 μL	
Target:	PLEKH01	
Binding Specificity:	AA 51-170	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PLEKHO1 antibody is conjugated to AbBy Fluor® 680	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human CKIP-1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat	
Purification:	Purified by Protein A.	
Target Details		
Target:	PLEKH01	
Alternative Name:	CKIP-1 (PLEKH01 Products)	

Target Details

Background:	Synonyms: Pleckstrin homology domain-containing family 0 member 1, PH domain-containing		
	family 0 member 1, C-Jun-binding protein, JBP, Casein kinase 2-interacting protein 1, CK2-		
	interacting protein 1, CKIP-1, Osteoclast maturation-associated gene 120 protein, PLEKHO1,		
	CKIP1, OC120, HQ0024C		
	Background: Plays a role in the regulation of the actin cytoskeleton through its interactions with		
	actin capping protein (CP). May function to target CK2 to the plasma membrane thereby		
	serving as an adapter to facilitate the phosphorylation of CP by protein kinase 2 (CK2). Appears		
	to target ATM to the plasma membrane. Appears to also inhibit tumor cell growth by inhibiting		
	AKT-mediated cell-survival. Also implicated in PI3K-regulated muscle differentiation, the		
	regulation of AP-1 activity (plasma membrane bound AP-1 regulator that translocates to the		
	nucleus) and the promotion of apoptosis induced by tumor necrosis factor TNF. When bound		
	to PKB, it inhibits it probably by decreasing PKB level of phosphorylation.		
Gene ID:	51177		
UniProt:	Q53GL0		
Application Details			
Application Notes:	FCM 1:20-100		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

1	1	l:
-	ココロロ	urnen
1	Hand	III IU

Expiry Date:

12 months