antibodies.com

Datasheet for ABIN5000127 anti-COL25A1 antibody (AA 581-654) (Alexa Fluor 750)



Overview

Quantity:	100 µL
Target:	COL25A1
Binding Specificity:	AA 581-654
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This COL25A1 antibody is conjugated to Alexa Fluor 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CLACP/COL25A1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Sheep,Horse,Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	COL25A1
Alternative Name:	CLACP/COL25A1 (COL25A1 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN5000127 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details Background: Synonyms: Alzheimer disease amyloid associated protein, AMY, CLAC, CLAC P, CLAC precursor, COL25A1, COL25A1 protein, Collagen alpha 1 XXV chain, Collagen alpha 1 XXV chain, Collagen like Alzheimer amyloid plaque component, Collagen like Alzheimer amyloid plaque component precursor, COLagen type XXV alpha 1, Collagenous Alzheimer amyloid plaque component. Background: Collagen proteins (products of the COL gene family) are fibrous, extracellular matrix proteins with high tensile strength and are the major components of connective tissue such as tendons and cartilage. All collagens contain a triple helix domain and frequently show lateral self-association in order to form complex connective tissues. The Collagen Type XXV precursor produces the proteolytic fragment CLAC (collagenous Alzheimer amyloid plaque component), which deposits in senile plaques associated with amyloid beta peptides (Abeta) in the brains of patients with Alzheimer's disease. CLAC binds to the fibrillized form of Abeta, which disturbs the structure and function of plasma membranes.

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN5000127 | 03/07/2024 | Copyright antibodies-online. All rights reserved.