antibodies -online.com





anti-RPRD1B antibody (Alexa Fluor 750)



_						
0	V	0	r٧	/[Θ	M

Quantity:	100 μL	
Target:	RPRD1B	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RPRD1B antibody is conjugated to Alexa Fluor 750	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CREPT
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	RPRD1B	
Alternative Name:	CREPT (RPRD1B Products)	
Background:	Synonyms: C20orf77, Cell cycle related and expression elevated protein in tumor, Chromosome 20 open reading frame 77, CREPT, dJ1057B20.2, DKFZp434P0735, FLJ44520, Hypothetical	
	protein LOC58490, Uncharacterized protein C20orf77, RPR1B_HUMAN.	
	Background: Interacts with phosphorylated C-terminal hentanentidereneat domain (CTD) of the	

largest RNA polymerase II subunitPOLR2A, and participates in dephosphorylation of the CTD. Transcriptional regulator which enhances expression of CCND1. Promotes binding of RNA polymerase II to the CCDN1 promoter and to the termination region before the poly-A site but decreases its binding after the poly-A site. Prevents RNA polymerase II from reading through the 3' end termination site and may allow it to be recruited back to the promoter through promotion of the formation of a chromatin loop. Also enhances the transcription of a number of other cell cycle-related genes including CDK2, CDK4, CDK6 and cyclin-E but not CDKN1A, CDKN1B or cyclin-A. Promotes cell proliferation.

Application Details

Storage:

Expiry Date:

Storage Comment:

Application Notes:	IF(IHC-P) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

-20 °C

12 months