# antibodies -online.com





## anti-Chemokine (C-X-C Motif) Ligand 15 (CXCL15) antibody (Alexa Fluor 750)



Go to Product page

( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	Chemokine (C-X-C Motif) Ligand 15 (CXCL15)	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	Alexa Fluor 750	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from mouse CXCL15
Isotype:	IgG
Predicted Reactivity:	Mouse
Purification:	Purified by Protein A.

### **Target Details**

Target:	Chemokine (C-X-C Motif) Ligand 15 (CXCL15)	
Alternative Name:	CXCL15/ Lungkine (CXCL15 Products)	
Background:	Synonyms: C-X-C mot chemokine 15, C-X-C mot chemokine 15, Small-inducible cytokine B Lungkine.	
	Background: CXCL15 (Lungkine) is a CXC chemokine that is expressed in murine lung epithelial	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com

#### **Target Details**

cells and, to a lesser extent, in certain fetal tissues. No human homolog has been identified and a specific cell surface receptor has not yet been found. Lungkine expression in lung tissue is elevated in response to inflammation, at which time it acts to specifically recruit neutrophils and direct them into the lung airway.

#### **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months