antibodies .- online.com





anti-Cyclin T2 antibody (AA 185-270) (Alexa Fluor 750)



Go to Product page

| () | 11/0 | K\ / | iew | 1 |
|-----|--------|--------|---------------------|---|
| | \cup | 'I V/I | $\square \vee \vee$ | ı |
| | | | | |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | Cyclin T2 (CCNT2) | |
| Binding Specificity: | AA 185-270 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This Cyclin T2 antibody is conjugated to Alexa Fluor 750 | |
| Application: | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human Cyclin T2 |
|-----------------------|---|
| Isotype: | IgG |
| Predicted Reactivity: | Human, Mouse, Rat, Cow, Pig, Horse, Chicken, Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | Cyclin T2 (CCNT2) |
|--|----------------------------|
| Alternative Name: | Cyclin T2 (CCNT2 Products) |
| Background: Synonyms: CCNT2, CCNT2_HUMAN, Cyclin-T2, CycT2, FLJ90560, MGC134840. | |

Target Details

Storage Comment:

12 months

Expiry Date:

| raiget Details | | |
|---------------------|--|--|
| | Background: Regulatory subunit of the cyclin-dependent kinase pair (CDK9/cyclin T) complex, also called positive transcription elongation factor B (P-TEFB), which is proposed to facilitate the transition from abortive to production elongation by phosphorylating the CTD (carboxy-terminal domain) of the large subunit of RNA polymerase II (RNAP II). | |
| Gene ID: | 905 | |
| Application Details | | |
| Application Notes: | IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. | |
| Storage: | -20 °C | |
| | | |

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.