# antibodies -online.com





## anti-CLEC7A antibody (AA 66-110) (AbBy Fluor® 750)



Go to Product page

( )	11/0	K\ /	iew
	$\cup$	'I V/I	$I \cap VV$

Quantity:	100 μL
Target:	CLEC7A
Binding Specificity:	AA 66-110
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLEC7A antibody is conjugated to AbBy Fluor® 750
Application:	Flow Cytometry (FACS), Western Blotting (WB)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Beta-glucan receptor	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

#### Target Details

Target:	CLEC7A	
Alternative Name:	DECTIN-1/ beta Glucan Receptor (CLEC7A Products)	
Background:	Synonyms: BGR, CD369, CANDF4, DECTIN1, CLECSF12, C-type lectin domain family 7 member	
	A, Beta-glucan receptor, C-type lectin superfamily member 12, Dendritic cell-associated C-type	

lectin 1, DC-associated C-type lectin 1, Dectin-1, CLEC7A, UNQ539/PR01082
Background: Lectin that functions as pattern receptor specific for beta-1,3-linked and beta-1,6-
linked glucans, such as cell wall constituents from pathogenic bacteria and fungi. Necessary for
the TLR2-mediated inflammatory response and for TLR2-mediated activation of NF-kappa-B.
Enhances cytokine production in macrophages and dendritic cells. Mediates production of
reactive oxygen species in the cell. Mediates phagocytosis of C.albicans conidia. Binds T-cells
in a way that does not involve their surface glycans and plays a role in T-cell activation.
Stimulates T-cell proliferation (By similarity).

Gene ID:	64581
UniProt:	Q9BXN2
Pathways <sup>.</sup>	Activation of Innate immune Response

### **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months