antibodies .- online.com







anti-DERL1 antibody (AA 111-220) (Alexa Fluor 680)



O	:
Over	$\backslash \backslash \backslash \cap \backslash \cap \backslash \cap$
\circ	V I C V V

Quantity:	100 μL
Target:	DERL1
Binding Specificity:	AA 111-220
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DERL1 antibody is conjugated to Alexa Fluor 680
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DERLIN-1
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	DERL1
Alternative Name:	DERLIN-1 (DERL1 Products)

Target Details

Background:	Synonyms: Derlin1, Derlin1, Derlin 1, DER1, DER-1, DER 1, DERL1_HUMAN.
Buckground.	Background: Degradation in endoplasmic reticulum proteins, also designated Derlins or
	DERtrins, are crucial for the degradation of misfolded endoplasmic reticulum (ER) luminal
	proteins. Derlin proteins are multi-pass membrane proteins localizing to the ER. Derlins are
	involved in transferring misfolded proteins from the ER to the cytosol, where the misfolded
	proteins are destroyed in an ubiquitin-dependent manner by the proteasome. In the case of
	cytomegalovirus infection, Derlin-1, as opposed to Derlins-2 and -3, is involved in the export of
	MHC class I heavy chains from the ER via its interaction with the viral protein US11. Derlins may
	also be important for cell proliferation.
Gene ID:	79139
UniProt:	Q9BUN8
Pathways:	ER-Nucleus Signaling
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months