antibodies -online.com





anti-DHRS4 antibody (Alexa Fluor 680)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	DHRS4	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DHRS4 antibody is conjugated to Alexa Fluor 680	
Application:	Western Blotting (WB)	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DHRS4	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat	
Purification:	Purified by Protein A.	

Target Details

Target:	DHRS4	
Alternative Name:	DHRS4 (DHRS4 Products)	
Background:	Synonyms: NDRD, RRD, Al043103, Al790593, Carbonyl reductase, CR, D14Ucla2,	
	Dehydrogenase/reductase SDR family member 4, Dhrs4, DHRS4_HUMAN, humNRDR antibody	

NADPH dependent carbonyl reductase/NADP retinol dehydrogenase, NADPH dependent retinol dehydrogenase/reductase, NADPH-dependent carbonyl reductase/NADP-retinol dehydrogenase, NADPH-dependent retinol dehydrogenase/reductase, NRDR, Peroxisomal short chain alcohol dehydrogenase, Peroxisomal short-chain alcohol dehydrogenase, PHCR, PRO1800, PSCD, SCAD-SRL, SCADSRL, Short chain dehydrogenase/reductase family member 4, Short-chain dehydrogenase/reductase family member 4, UNQ851.

Background: Reduces all-trans-retinal and 9-cis retinal. Can also catalyze the oxidation of all-trans-retinol with NADP as co-factor, but with much lower efficiency. Reduces alkyl phenyl ketones and alpha-dicarbonyl compounds with aromatic rings, such as pyrimidine-4-aldehyde, 3-benzoylpyridine, 4-benzoylpyridine, menadione and 4-hexanoylpyridine. Has no activity towards aliphatic aldehydes and ketones. Tissue specificity: Isoform 1 is predominantly expressed in normal cervix (at protein level). Isoform 4 is expressed in some neoplastic cervical tissues, but not in normal cervix (at protein level). Isoform 5 and isoform 6 are expressed in a few neoplastic cervical tissues.

Gene ID:

10901

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	