antibodies.com

Datasheet for ABIN5001420 anti-DOCK1 antibody (AA 465-550) (Alexa Fluor 680)



Overview

Quantity:	100 μL
Target:	DOCK1
Binding Specificity:	AA 465-550
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DOCK1 antibody is conjugated to Alexa Fluor 680
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Alternative Name:

Immunogen:	KLH conjugated synthetic peptide derived from human DOCK1
Isotype:	lgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse,Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	DOCK1

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN5001420 | 03/08/2024 | Copyright antibodies-online. All rights reserved.

DOCK1 (DOCK1 Products)

Target Details	
----------------	--

Background:	Synonyms: 180 kDa protein downstream of CRK, Ced5, Dedicator of Cytokinesis 1, Dedicator of cytokinesis protein 1, DOCK 1, DOCK-1, DOCK 180, DOCK1, DOCK1_HUMAN, DOCK180. Background: Involved in cytoskeletal rearrangements required for phagocytosis of apoptotic cells and cell motility. Functions as a guanine nucleotide exchange factor (GEF), which activates Rac Rho small GTPases by exchanging bound GDP for free GTP. Its GEF activity may be enhanced by ELMO1.Tissue specificity: Highly expressed in placenta, lung, kidney, pancreas and ovary. Expressed at intermediate level in thymus, testes and colon.
Gene ID:	1793
Pathways:	Signaling of Hepatocyte Growth Factor Receptor
Application Details	
Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months