

Datasheet for ABIN5001448

anti-DOK5 antibody (AA 21-120) (AbBy Fluor® 680)



Go to Product page

| Overview | |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Quantity: | 100 μL |
| Target: | DOK5 |
| Binding Specificity: | AA 21-120 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This DOK5 antibody is conjugated to AbBy Fluor® 680 |
| Application: | Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic peptide derived from human DOK5/IRS6 |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Predicted Reactivity: | Mouse,Rat,Dog,Cow,Pig,Horse,Chicken,Rabbit |
| Purification: | Purified by Protein A. |
| Target Details | |
| Target: | DOK5 |
| Alternative Name: | DOK5 (DOK5 Products) |

Target Details

| rarget betails | |
|---------------------|--------------------------------------------------------------------------------------------------------------------|
| Background: | Synonyms: IRS6, IRS-6, C2orf18, Docking protein 5, Downstream of tyrosine kinase 5, Insulin |
| | receptor substrate 6, DOK5 |
| | Background: DOK proteins are enzymatically inert adaptor or scaffolding proteins. They provide |
| | a docking platform for the assembly of multimolecular signaling complexes. DOK5 functions in |
| | RET-mediated neurite outgrowth and plays a positive role in activation of the MAP kinase |
| | pathway. Putative link with downstream effectors of RET in neuronal differentiation. |
| Gene ID: | 55816 |
| UniProt: | Q9P104 |
| Application Details | |
| Application Notes: | FCM 1:20-100 |
| | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |
| | |