# antibodies -online.com





## anti-Dymeclin antibody (AA 151-250) (Alexa Fluor 750)



Go to Product page	
--------------------	--

( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	Dymeclin (DYM)
Binding Specificity:	AA 151-250
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Dymeclin antibody is conjugated to Alexa Fluor 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Dymeclin
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.

#### **Target Details**

Target:	Dymeclin (DYM)
Alternative Name:	Dymeclin (DYM Products)

### **Target Details**

Background:	Synonyms: DMC, Dyggve-Melchior-Clausen syndrome protein, DYM, FLJ20071, FLJ90130,
	SMC, DYM_HUMAN.
	Background: Dyggve-Melchior-Clausen syndrome (DMC), a rare autosomal recessive disorder,
	is characterized by microcephaly, short trunk dwarfism and sometime psychomotor
	retardation. Cutaneous cells of affected individuals show dilated rough endoplasmic reticulum
	and enlarged vacuoles. The Dyggve-Melchior-Clausen syndrome protein, also designated
	dymeclin, may play a role in proteoglycan metabolism and intracellular protein digestion. It is a
	widely expressed multi-pass membrane protein, detected primarily in chondrocytes and fetal
	brain tissue. Defects in dymeclin are also the cause of Smith-McCort dysplasis syndrome
	(SMC), which has characteristics identical to those of Dyggve-Melchior-Clausen syndrome.
Gene ID:	54808
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months