

Datasheet for ABIN5002259

anti-FABP5 antibody (AA 21-120) (AbBy Fluor® 750)



Go to Product page

Overview	
	100 /
Quantity:	100 μL
Target:	FABP5
Binding Specificity:	AA 21-120
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FABP5 antibody is conjugated to AbBy Fluor® 750
Application:	Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence
	(Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human Fatty Acid Binding Protein 5
	Kerreonjugated Synthetic peptide derived northlanian ratty Acid binding Protein 3
Isotype:	IgG
Isotype: Cross-Reactivity:	
	IgG
Cross-Reactivity:	IgG Mouse
Cross-Reactivity: Predicted Reactivity:	IgG Mouse Human,Rat,Pig,Horse
Cross-Reactivity: Predicted Reactivity:	IgG Mouse Human,Rat,Pig,Horse
Cross-Reactivity: Predicted Reactivity: Purification:	IgG Mouse Human,Rat,Pig,Horse

Target Details

Background:	Synonyms: epidermal, Fatty Acid Binding Protein 5, CFABP, Cutaneous fatty acid binding		
	protein, DA11, Dferentiation associated lipid binding protein LP2, E-FABP, EFABP, Epidermal-		
	type fatty acid-binding protein, FABP5, FABP5_HUMAN, Fatty acid binding protein epidermal,		
	Fatty acid-binding protein 5, Fatty acid-binding protein, Keratinocyte lipid binding protein, PA-		
	FABP, PAFABP, Psoriasis associated fatty acid binding protein homolog, Psoriasis-associated		
	fatty acid-binding protein homolog.		
	Background: This gene encodes the fatty acid binding protein found in epidermal cells, and was		
	first identified as being upregulated in psoriasis tissue. Fatty acid binding proteins are a family of small, highly conserved, cytoplasmic proteins that bind long-chain fatty acids and other hydrophobic ligands. FABPs may play roles in fatty acid uptake, transport, and metabolism. Polymorphisms in this gene are associated with type 2 diabetes. The human genome contains		
		many pseudogenes similar to this locus.[provided by RefSeq, Feb 2011].	
		Gene ID:	2171
		Application Details	
	Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		