# antibodies -online.com







# anti-MATN1 antibody (C-Term)


**Images** 



Quantity:	0.1 mg
Target:	MATN1
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MATN1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	MATN1 antibody was raised against a 13 amino acid peptide from near the carboxy terminus of human MATN1.
Isotype:	IgG
Specificity:	This antibody detects MATN1 at C-term.
Cross-Reactivity (Details):	Species reactivity (tested):Human, mouse, rat
Purification:	Peptide affinity chromatography
Target Details	
Target:	MATN1


## **Target Details**

Alternative Name:	Matrilin-1 (MATN1 Products)
Background:	Matrilins (MATNs) are a family of non-collagenous extra-cellular matrix (ECM) proteins
	consisting of four known members that have been proposed to play key roles in modulating
	cellular phenotypes during chondrogenesis of mesenchymal stem cells (MSCs). MATN1 and
	MATN3 are expressed specifically in cartilage and are among the most up-regulated ECM
	proteins during chondrogenesis. MATN1 is composed of two Willebrand Factor A (vWFA)
	domains separated by one EGF-like domain, whereas MATN3 is composed of a single N-
	terminal vWFA domain followed by four epidermal growth factor (EGF) repeats and a coiled-co
	domain. MATN1 or MATN3 may play a role in modulating chondrogenesis during the
	chondrocyte differentiation process. Mutations of this gene have been associated with variety
	of inherited chondrodysplasias. Recent studies show that the MATN1 promoter region was
	associated with both susceptibility and disease progression in Adolescent idiopathic
	scoliosis.Synonyms: CMP, CRTM, Cartilage matrix protein, MATN1
Gene ID:	4146
NCBI Accession:	NP_002370
UniProt:	P21941
Application Details	
Application Notes:	ELISA. Western blot: 1 - 2 μg/mL. Immunohistochemistry on paraffin sections.
	Other applications not tested.
	Optimal dilutions are dependent on conditions and should be determined by the user.
Restrictions:	For Research Use only
Handling	
Buffer:	PBS containing 0.02 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2 - 8 °C for up to one month or (in aliquots) at -20 °C for longer.
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Avoid repeated freezing and thawing.  4 °C/-20 °C



### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Immunohistochemistry of MATN1 in human liver tissue with this product at  $5 \mu g/ml$ .



### **Western Blotting**

**Image 2.** Western blot analysis of MATN1 in rat liver tissue lysate with this product at (A) 1 and (B) 2  $\mu$ g/ml.