

## Datasheet for ABIN5002455

## anti-FANCG antibody (AA 13-110) (AbBy Fluor® 680)



Go to Product page

U	V	er	VI	e'	W

Alternative Name:

Quantity:	100 μL		
Target:	FANCG		
Binding Specificity:	AA 13-110		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This FANCG antibody is conjugated to AbBy Fluor® 680		
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence		
	(Paraffin-embedded Sections) (IF (p))		
Product Details			
Immunogen:	KLH conjugated synthetic peptide derived from human FANCG		
Isotype:	IgG		
Cross-Reactivity:	Human		
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Pig		
Purification:	Purified by Protein A.		
Target Details			
Target:	FANCG		

**FANCG (FANCG Products)** 

## **Target Details**

Background:	Synonyms: DNA repair protein XRCC9, DNA-repair protein XRCC9, FAG, Fanconi anaemia	
	complementation group G, Protein FACG, X ray repair, complementing defective, in Chinese	
	hamster cells 9, XRCC9, FANCG_HUMAN.	
	Background: FANCG, involved in Fanconi anemia, confers resistance to both hygromycin and	
	mitomycin C. FANCG contains a 5-prime GC-rich untranslated region characteristic of	
	housekeeping genes. The putative 622-amino acid protein has a leucine-zipper motif at its N-	
	terminus. Fanconi anemia is an autosomal recessive disorder with diverse clinical symptoms,	
	including developmental anomalies, bone marrow failure, and early occurrence of malignancies	
	A minimum of 8 FA genes have been identified.	
Gene ID:	2189	
Pathways:	DNA Damage Repair	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	