

## Datasheet for ABIN5002675

## anti-FGG antibody (AA 151-250) (AbBy Fluor® 750)



Go to Product page

\/	Р	r١	/1	P١	M

Alternative Name:

Quantity:	100 μL		
Target:	FGG		
Binding Specificity:	AA 151-250		
Reactivity:	Human, Mouse, Rat		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This FGG antibody is conjugated to AbBy Fluor® 750		
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))		
Product Details			
Immunogen:	KLH conjugated synthetic peptide derived from human Fibrinogen gamma chain		
Isotype:	IgG		
Cross-Reactivity:	Human, Mouse, Rat		
Predicted Reactivity:	Dog,Horse,Rabbit		
Purification:	Purified by Protein A.		
Target Details			
Target:	FGG		

Fibrinogen gamma chain (FGG Products)

## **Target Details**

Background:	Synonyms: Fibrinogen gamma chain, FGG, PRO2061	
	Background: Together with fibrinogen alpha (FGA) and fibrinogen beta (FGB), polymerizes to	
	form an insoluble fibrin matrix. Has a major function in hemostasis as one of the primary	
	components of blood clots. In addition, functions during the early stages of wound repair to	
	stabilize the lesion and guide cell migration during re-epithelialization. Was originally thought to	
	be essential for platelet aggregation, based on in vitro studies using anticoagulated blood.	
	However, subsequent studies have shown that it is not absolutely required for thrombus	
	formation in vivo. Enhances expression of SELP in activated platelets via an ITGB3-dependent	
	pathway. Maternal fibrinogen is essential for successful pregnancy. Fibrin deposition is also	
	associated with infection, where it protects against IFNG-mediated hemorrhage. May also	
	facilitate the antibacterial immune response via both innate and T-cell mediated pathways.	
Gene ID:	2266	
UniProt:	P02679	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	