

Datasheet for ABIN5002709

anti-Filamin A antibody (AA 1851-1960) (AbBy Fluor® 750)



Go to Product page

C	۱۱ /	\cap	~\ /	ic	11/	1
	V	CI	V	IF	٧,	٧

Quantity:	100 μL
Target:	Filamin A (FLNA)
Binding Specificity:	AA 1851-1960
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Filamin A antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)),
	Immunofluorescence (Cultured Cells) (IF (cc))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human Filamin A
Isotype:	IgG
Cross-Reactivity:	IgG Human
Cross-Reactivity:	Human
Cross-Reactivity: Predicted Reactivity:	Human Mouse,Rat,Dog,Cow,Pig,Horse,Rabbit
Cross-Reactivity: Predicted Reactivity: Purification:	Human Mouse,Rat,Dog,Cow,Pig,Horse,Rabbit

Target Details

rarget Details		
Background:	Synonyms: ABP 280, ABP 280 like protein, ABP-280, ABP280A, ABPA, Actin binding like protein,	
	Actin binding protein 280, Actin-binding protein 280, Alpha filamin, Alpha-filamin, APBX, cb967,	
	Dilp2, Endothelial actin binding protein, Endothelial actin-binding protein, Filamin 1, Filamin A	
	alpha actin binding protein 280, Filamin A, Filamin-1, Filamin-A, FLN, FLN-A, FLN1, FLNA,	
	FLNA_HUMAN, FMD, MNS, NHBP, Non muscle filamin, Non-muscle filamin, OPD, OPD1, OPD2.	
	Background: Caldesmon, Filamin 1, Nebulin and Villin are differentially expressed and regulated	
	Actin binding proteins. Both muscular (CDh) and non-muscular (CDI) forms of Caldesmon have	
	been identified and each has been shown to bind to Actin as well as to calmodulin and Myosin.	
	CDh is expressed predominantly on thin filaments in smooth muscle, whereas CDI is widely	
	expressed in non-muscle tissues and cells. Filamin 1, which is ubiquitously expressed and	
	exists as a homodimer, functions to crosslink Actin to filaments. Nebulin is a large filamentous	
	protein specific to muscle tissue that may function as a ruler for filament length. Several	
	isoforms of Nebulin are produced by alternative exon usage. Villin is Ca2+-regulated and is the	
	major structural component of the brush border of absorptive cells.	
Gene ID:	2316	
Pathways:	TCR Signaling, Maintenance of Protein Location	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	

-20 °C

Storage:

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months