antibodies -online.com







anti-METTL7B antibody (N-Term)

Images



()	1 /	\sim	rv	11/	11	Α
	1//	⊢	I \/	16	٦,	/\

Overview	
Quantity:	0.1 mg
Target:	METTL7B
Binding Specificity:	N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This METTL7B antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	MettL7B antibody was raised against a 13 amino acid peptide near the amino terminus of


Immunogen:	MettL7B antibody was raised against a 13 amino acid peptide near the amino terminus of human MettL7B.
Isotype:	IgG
Specificity:	This antibody detects METTL7B at N-term.
Cross-Reactivity (Details):	Species reactivity (tested):Human, mouse
Purification:	Peptide affinity chromatography

Target Details

Target: METTL7B


Target Details

METTL7B (METTL7B Products)	
MettL7b belongs to the methyltransferase superfamily. It is a probable methyltransferase.	
Methyltransferase is a type of transferase enzyme which transfers a methyl group from a donor	
to an acceptor. Often methylation occurs on nucleic bases in DNA or amino acids in protein	
structures. DNA methylation is often utilized to silence and regulate genes without changing the	
original DNA sequence. DNA methylation may be necessary for normal growth from embryonic	
stages in mammals. When mutant embryonic stem cells lacking the murine DNA	
methyltransferase gene were introduced to a germline of mice they caused a recessive lethal	
phenotype. Methylation may also be linked to cancer development as methylation of tumor	
suppressor genes promotes tumorgenesis and metastasis. This MettL7B antibody is predicted	
to not cross-react with MettL7A.Synonyms: Methyltransferase-like protein 7B,	
UNQ594/PR01180	
196410	
NP_689850	
Q6UX53	
ELISA. Western blot: 2 - 4 μg/mL. Immunohistochemistry on paraffin sections.	
Other applications not tested.	
Optimal dilutions are dependent on conditions and should be determined by the user.	
For Research Use only	
PBS containing 0.02 % sodium azide	
Sodium azide	
This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
should be handled by trained staff only.	
Avoid repeated freezing and thawing.	
4 °C/-20 °C	
4 6/-20 6	



Western Blotting

Image 1. Western blot analysis of MettL7B in Jurkat lysate with this product at (A) 2 and (B) 4 μ g/ml.



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. Immunohistochemistry of MettL7B in human spleen tissue with this product at $2.5 \,\mu g/ml$.