antibodies - online.com







anti-FOXF2 antibody (AA 65-160) (Alexa Fluor 680)



()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	FOXF2
Binding Specificity:	AA 65-160
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOXF2 antibody is conjugated to Alexa Fluor 680
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FOXF2
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	FOXF2
Alternative Name:	FOXF2 (FOXF2 Products)

Target Details

Background:	Synonyms: FKH L6, FKHL 6, FKHL6, Forkhead box F2, Forkhead box protein F2, Forkhead like 6,	
	Forkhead related activator 2, Forkhead related protein FKHL6, Forkhead related transcription	
	factor 2, FOX F2, FOXF 2, FREAC 2, FREAC2, OTTHUMP00000017863,	
	Background: The FOX family of transcription factors share a common DIUA binding domain	
	termed a winged-helix or forkhead domain. Many FOX proteins play important roles in	
	development, metabolism, cancer and aging. Development of the vertebrate gut is controlled by	
	paracrine crosstalk between the endodermal epithelium and the associated splanchnic	
	mesoderm. FOXF2 (forkhead box F2), also known as FKHL or FREAC2, is expressed in lung and	
	placenta, and has been shown to transcriptionally activate several lung-specific genes. FOXF2	
	interacts with transcription factors TFIIB and TBP, and may be involved in regulating	
	transcription in embryogenesis and pattern formation in multicellular organisms. FOXF2-	
	deficient mice develop cleft palate and an abnormal tongue, which suggests that FOXF2 may	
	be critical for palatogenesis.	
Gene ID:	2295	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	