

## Datasheet for ABIN5003281

Overview

Binding Specificity:

Clonality:

# anti-GCDH antibody (AA 201-300) (AbBy Fluor® 680)



Go to Product page

Quantity:	100 μL
Target:	GCDH

AA 201-300

Polyclonal

Reactivity: Human

Host: Rabbit

Conjugate: This GCDH antibody is conjugated to AbBy Fluor® 680

Application: Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence

(Paraffin-embedded Sections) (IF (p))

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human GCDH
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat
Purification:	Purified by Protein A.

### **Target Details**

Target:	GCDH
Alternative Name:	GCDH (GCDH Products)
Background:	Synonyms: ACAD5, EC 1.3.99.7, GCD, Gcdh, GCDH_HUMAN, Glutaryl CoA dehydrogenase,

mitochondrial, Glutaryl Coenzyme A dehydrogenase, Glutaryl-CoA dehydrogenase, mitochondrial, MS781.

Background: GCDH is a 438 amino acid protein that localizes to the mitochondrial matrix and belongs to the acyl-CoA dehydrogenase family. Existing as a homotetramer, GCDH uses FAD as a cofactor to catalyze the oxidative decarboxylation of glutaryl-CoA to crotonyl-CoA and CO(2) in the degradative pathway of L-lysine, L-hydroxylysine and L-tryptophan metabolism. While GCDH exists as both a long and short isoform, only the long isoform is a functionally active protein. Defects in the gene encoding GCDH are the cause of glutaric acidemia type I (GA-I), an autosomal recessive disorder that is characterized by the accumulation of glutaconic acid and is associated with such symptoms as progressive dystonia and athetosis due to gliosis and neuronal loss in the basal ganglia.

Gene ID:

2639

### **Application Details**

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months