

## Datasheet for ABIN5003462

## anti-GHRHR antibody (AbBy Fluor® 750)



Go to Product page

_	verview				
	1//	r	1//	$\triangle$	۸/
	V		VI		/ V

Quantity:	100 μL		
Target:	GHRHR		
Reactivity:	Human, Rat, Mouse		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This GHRHR antibody is conjugated to AbBy Fluor® 750		
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))		
Product Details			
Immunogen:	KLH conjugated synthetic peptide derived from human GHRHR		
Isotype:	IgG		
Cross-Reactivity:	Human, Mouse, Rat		
Purification:	Purified by Protein A.		
Target Details			
Target:	GHRHR		
Alternative Name:	GHRHR (GHRHR Products)		
	•		

hormone receptor.

receptor, GRFR, Growth hormone releasing factor receptor, Growth hormone releasing

hormone receptor, Growth hormone-releasing factor receptor, Growth hormone-releasing

Background: GHRH-R is a seven transmembrane domain protein that localizes to the somatotroph of the pituitary. GHRH-R plays an important role in growth and acts as a high-affinity receptor for GHRH. Binding of GHRH leads to the coupling of GHRH-R to G-protein which stimulates increased adenylyl cyclase activity and the accumulation of cAMP leading to the synthesis and release of growth hormone and somatotroph proliferation. In addition, this signalling pathway may have direct action in fetal/placental development, reproduction and immune function. GHRH and GHRH-R may also play a role in the regulation of non-rapid eye movement sleep (NREMS). The expression of GHRH-R is dependent on the presence of the POU domain factor Pit-1. Mutations in the gene encoding this protein can result in isolated growth hormone deficiency (IGHD), also known as Dwarfism of Sindh, and anterior pituitary hypoplasia (APH).

Gene ID:

2692

Pathways:

Intracellular Steroid Hormone Receptor Signaling Pathway, Hormone Transport, Regulation of Intracellular Steroid Hormone Receptor Signaling, cAMP Metabolic Process

## **Application Details**

Application Notes: IF(IHC-P) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 $\%$ BSA, 0.03 $\%$ Proclin300 and 50 $\%$ Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		