

## Datasheet for ABIN5003515

## anti-GK2 antibody (AA 101-200) (AbBy Fluor® 680)



Overview	
Quantity:	100 μL
Target:	GK2
Binding Specificity:	AA 101-200
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GK2 antibody is conjugated to AbBy Fluor® 680
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Product Details Immunogen:	KLH conjugated synthetic peptide derived from human GK2/Glycerol kinase 2
	KLH conjugated synthetic peptide derived from human GK2/Glycerol kinase 2
Immunogen:	
Immunogen: Isotype:	IgG
Immunogen: Isotype: Cross-Reactivity:	IgG Human, Rat
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity:	lgG Human, Rat Mouse,Dog,Cow,Sheep,Pig,Horse,Rabbit
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity: Purification:	lgG Human, Rat Mouse,Dog,Cow,Sheep,Pig,Horse,Rabbit

## **Target Details**

Background:	Synonyms: ATP:glycerol 3 phosphotransferase, EC 2.7.1.30, GK 2, GK, GKP2, GKTA,
	Glycerokinase, Glycerol kinase 2, Glycerol kinase testis specic 2, GLPK2_HUMAN.
	Background: GK2 is a 553 amino acid protein that belongs to the FGGY kinase family and is
	involved in the pathway of glycerol degradation. Localized to the outer membrane of the
	mitochondrion and expressed at high levels in testis, GK2 functions to catalyze the ATP-
	dependent conversion of glycerol to glycerol 3-phosphate. Via its catalytic activity, GK2 plays an
	essential role in the regulation of glycerol uptake and metabolism. The gene encoding GK2
	maps to chromosome 4, which encodes nearly 6 % of the human genome and has the largest
	gene deserts (regions of the genome with no protein encoding genes) of all of the human
	chromosomes. Defects in some of the genes located on chromosome 4 are associated with
	Huntington's disease, Ellis-van Creveld syndrome, methylmalonic acidemia and polycystic
	kidney disease.
Gene ID:	2712
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months