antibodies -online.com





anti-GLP2R antibody (AA 51-150) (Alexa Fluor 750)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	GLP2R	
Binding Specificity:	AA 51-150	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GLP2R antibody is conjugated to Alexa Fluor 750	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GLP2R
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	GLP2R
Alternative Name:	GLP2R (GLP2R Products)

Target Details

Background:	Synonyms: GLP 2 R, GLP 2 receptor, GLP 2R, GLP-2 receptor, GLP-2-R, GLP-2R, GLP2 R, GLP2	
	Receptor, GLP2R, GLP2R_HUMAN, Glucagon Like Peptide 2 Receptor, Glucagon-like peptide 2	
	receptor.	
	Background: The GLP2 receptor (GLP2R) is a G protein-coupled receptor superfamily member	
	closely related to the glucagon receptor ans GLP1 receptor. Glucagon-like peptide-2 (GLP2) is a	
	33-amino acid proglucagon-derived peptide produced by intestinal enteroendocrine cells. Like	
	glucagon-like peptide-1 (GLP1) and glucagon itself, it is derived from the proglucagon peptide	
	encoded by the GCG gene. GLP2 stimulates intestinal growth and upregulates villus height in	
	the small intestine, concomitant with increased crypt cell proliferation and decreased	
	enterocyte apoptosis. Moreover, GLP2 prevents intestinal hypoplasia resulting from total	
	parenteral nutrition. GLP2R, a G protein-coupled receptor superfamily member is expressed in	
	the gut and closely related to the glucagon receptor (GCGR) and the receptor for GLP1 (GLP1R).	
	[provided by RefSeq, Jul 2008].	
Gene ID:	9340	
Pathways:	Positive Regulation of Peptide Hormone Secretion, Peptide Hormone Metabolism, cAMP	
	Metabolic Process, Feeding Behaviour	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
Application Notes.	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Destrictions		
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months