

[Go to Product page](#)

Datasheet for ABIN5005085

**anti-IFI6 antibody (AA 1-100) (Alexa Fluor 750)**

## Overview

|                      |  |
|----------------------|--|
| Quantity:            | 100 µL   |
| Target:              | IFI6   |
| Binding Specificity: | AA 1-100   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This IFI6 antibody is conjugated to Alexa Fluor 750  |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

## Product Details

|                       |  |
|-----------------------|--|
| Immunogen:            | KLH conjugated synthetic peptide derived from human IFI6 |
| Isotype:              | IgG  |
| Predicted Reactivity: | Human  |
| Purification:         | Purified by Protein A.                                   |

## Target Details

|                   |  |
|-------------------|--|
| Target:           | IFI6   |
| Alternative Name: | IFI6 ( <a href="#">IFI6 Products</a> )   |
| Background:       | Synonyms: i-6-16, I6, IFI6_HUMAN, Interferon alpha-inducible protein 6, Interferon-induced |

## Target Details

protein 6-16.

Background: This gene was first identified as one of the many genes induced by interferon. The encoded protein may play a critical role in the regulation of apoptosis. A minisatellite that consists of 26 repeats of a 12 nucleotide repeating element resembling the mammalian splice donor consensus sequence begins near the end of the second exon. Alternatively spliced transcript variants that encode different isoforms by using the two downstream repeat units as splice donor sites have been described.

UniProt: [P09912](#)

## Application Details

Application Notes: IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months