

#### Datasheet for ABIN5005141

# anti-IGF1R antibody (pTyr980) (AbBy Fluor® 750)



#### Overview

Overview	
Quantity:	100 μL
Target:	IGF1R
Binding Specificity:	pTyr980
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IGF1R antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)),
	Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human IGF1R around the
	phosphorylation site of Tyr980
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat
Purification:	Purified by Protein A.
Target Details	
Target:	IGF1R

### **Target Details**

rarget Details		
Alternative Name:	IGF1R (IGF1R Products)	
Background:	Synonyms: IGFR, CD221, IGFIR, JTK13, Insulin-like growth factor 1 receptor, Insulin-like growth	
	factor I receptor, IGF-I receptor, IGF1R	
	Background: When present in a hybrid receptor with INSR, binds IGF1. PubMed:12138094	
	shows that hybrid receptors composed of IGF1R and INSR isoform Long are activated with a	
	high affinity by IGF1, with low affinity by IGF2 and not significantly activated by insulin, and that	
	hybrid receptors composed of IGF1R and INSR isoform Short are activated by IGF1, IGF2 and	
	insulin. In contrast, PubMed:16831875 shows that hybrid receptors composed of IGF1R and	
	INSR isoform Long and hybrid receptors composed of IGF1R and INSR isoform Short have	
	similar binding characteristics, both bind IGF1 and have a low affinity for insulin.	
Gene ID:	3480	
UniProt:	P08069	
Pathways:	RTK Signaling, Regulation of Hormone Metabolic Process, Regulation of Hormone Biosynthetic	
	Process, Autophagy	
Application Details		
Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 an	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months