antibodies

Datasheet for ABIN5005394 anti-ILP-2 antibody (AA 141-236) (Alexa Fluor 680)



Overview

Quantity:	100 μL
Target:	ILP-2 (BIRC8)
Binding Specificity:	AA 141-236
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ILP-2 antibody is conjugated to Alexa Fluor 680
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ILP2
lsotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	ILP-2 (BIRC8)
Alternative Name:	ILP2 (BIRC8 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5005394 | 03/08/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Synonyms: Baculoviral IAP repeat containing 8, Baculoviral IAP repeat containing protein 8,
	Baculoviral IAP repeat-containing protein 8, BIRC 8, BIRC8, BIRC8 protein, BIRC8_HUMAN, hILP
	2, hILP2, IAP like protein 2, IAP-like protein 2, ILP 2, ILP-2, Inhibitor of apoptosis like protein 2,
	Inhibitor of apoptosis-like protein 2, Testis specic inhibitor of apoptosis, Testis-specic inhibitor
	of apoptosis.
	Background: Protects against apoptosis mediated by BAX.Apoptosis, or programmed cell
	death, is related to many diseases, such as cancer. Apoptosis is triggered by a variety of stimul
	including members in the TNF family and prevented by the inhibitor of apoptosis (IAP) proteins.
	IAP proteins form a conserved gene family including IAP, XIAP/ILP-1/MIHA, and Livin/KIAP that
	bind to and inhibits specific proteases. A novel member in the IAP protein family was recently
	identified and designated ILP-2 for IAP-like protein-2 (1). ILP-2 has high homology to ILP-1, but
	is encoded by a distinct gene that is solely expressed in testis of tested normal human tissues
	(1). ILP-2, unlike ILP-1, has no inhibitory effect on Fas and TNF induced apoptosis, but potently
	inhibits apoptosis induced by overexpression of Bax or by coexpression of caspase-9 with
	Apaf-1. ILP-2 interacts with the processed caspase-9. These results suggest that ILP-2 is a
	novel IAP family member with restricted specificity for caspase-9.
Gene ID:	112401
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 µg/µL

Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5005394 | 03/08/2024 | Copyright antibodies-online. All rights reserved.

Handling	
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months