
antibodies - online.com







anti-INHBC antibody (AA 237-352) (Alexa Fluor 680)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	INHBC
Binding Specificity:	AA 237-352
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This INHBC antibody is conjugated to Alexa Fluor 680
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Inhibin Beta C	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human,Mouse,Cow,Pig,Horse	
Purification:	Purified by Protein A.	

Target Details

Target:	INHBC	
Alternative Name:	Inhibin Beta C (INHBC Products)	

Target Details

9		
Background:	Synonyms: ACTIVIN BETA C, IHBC, INHBC, MGC108687, activin beta-C chain, Inhibin, beta C,	
	inhibin beta C chain precursor, Inhbc, INHBC_HUMAN.	
	Background: This gene encodes the beta C chain of inhibin, a member of the TGF-beta	
	superfamily. This subunit forms heterodimers with beta A and beta B subunits. Inhibins and	
	activins, also members of the TGF-beta superfamily, are hormones with opposing actions and	
	are involved in hypothalamic, pituitary, and gonadal hormone secretion, as well as growth and	
	differentiation of various cell types.	
Gene ID:	3626	
Pathways:	Peptide Hormone Metabolism, Hormone Activity	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	