

Datasheet for ABIN5005584

anti-IRS1 antibody (pSer1101) (AbBy Fluor® 750)



Overview

Quantity:	100 μL
Target:	IRS1
Binding Specificity:	pSer1101
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IRS1 antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)),
	Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human IRS1 around the
	phosphorylation site of Ser1101 [HS(p-S)ET]
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Cow,Pig,Chicken,Rabbit,Guinea Pig
Purification:	Purified by Protein A.
Target Details	
Target:	IRS1

Target Details

Alternative Name:	IRS1 (IRS1 Products)
Background:	Synonyms: p-IRS1, IRS1Ser1101, HIRS 1, HIRS1, Insulin Receptor Substrate 1, IRS-1, IRS 1,
	IRS1, OTTHUMP00000164234, IRS1_HUMAN.
	Background: Insulin receptor substrates (IRS) are responsible for several insulin related
	activities, such as glucose homeostasis, cell growth, cell transformation, apoptosis and insulin
	signal transduction. Serine/threonine phosphorylation of IRS1 has been demonstrated to be a
	negative regulator of insulin signaling and is responsible for its degradation, although IRS1
	degradation pathways are not well understood. IRS1 has also been shown to be constitutively
	activated in cancers such as breast cancer, Wilm's tumors, and adrenal cortical carcinomas,
	thus making IRS1 phosphorylation and subsequent degradation an attractive therapeutic
	target. To date there have been four subtypes identified: IRS1, 2, 3 and 4, with IRS1 being widely
	expressed.
Gene ID:	3667
Pathways:	Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling
	Pathway, Positive Regulation of Peptide Hormone Secretion, Hormone Transport, Negative
	Regulation of Hormone Secretion, Response to Growth Hormone Stimulus, Carbohydrate
	Homeostasis, Regulation of Carbohydrate Metabolic Process
Application Details	
Application Notes:	FCM 1:20-100
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months