.-online.com antibodies

## Datasheet for ABIN5005711 anti-KIF13B antibody (AA 351-450) (Alexa Fluor 680)



Overview

Quantity:	100 µL
Target:	KIF13B
Binding Specificity:	AA 351-450
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KIF13B antibody is conjugated to Alexa Fluor 680
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human KIF13B
Isotype:	lgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.
Target Details	
Target:	KIF13B
Alternative Name:	KIF13B (KIF13B Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5005711 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Synonyms: GAKIN, Guanylate kinase associated kinesin, KI13B_HUMAN, KIAA0639, K 13B,
	K13B, Kinesin 13B, Kinesin family member 13B, Kinesin like protein GAKIN, Kinesin like protein
	K13B, Kinesin-like protein GAKIN, Kinesin-like protein K13B, OTTHUMP00000225649.
	Background: KIF13B is also known as Kinesin-like protein GAKIN or GAKIN and is a 1,826 amino
	acid protein that is widely expressed in tissues, with highest expression in brain and kidney.
	KIF13B is localized to the cytoplasm, as well as to the cytoskeleton, and is thought to be a
	microtubule-dependent motor protein which is able to bind to a variety of proteins in order to
	traffic them to various locations throughout the cell. KIF13B belongs to the kinesin-like protein
	family and possesses three domains typical of the kinesin-like protein family, namely an N-
	terminal motor domain with an ATP-binding motif, an FHA domain which is known to bind
	diverse cargos and a large stalk domain involved in protein-protein binding. Additionally, KIF13B
	has a microtubule-interacting sequence which is known as the CAP-Gly domain at its C-
	terminus. The CAP-Gly domain is highly conserved domain among eukaryotes, and in humans,
	defects in the CAP-Gly domain are implicated in many diseases affecting the trafficking of
	vesicles, neuromuscular junctions and lysosome proliferation.
Gene ID:	23303
UniProt:	Q9NQT8
Application Details	

Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5005711 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Handling	
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months