# antibodies -online.com





# anti-KCNE4 antibody (AA 1-100) (Alexa Fluor 750)



Go to Product page

$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL	
Target:	KCNE4	
Binding Specificity:	AA 1-100	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This KCNE4 antibody is conjugated to Alexa Fluor 750	
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))	

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human KCNE4	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Horse,Rabbit	
Purification:	Purified by Protein A.	

# **Target Details**

Target:	KCNE4
Alternative Name:	KCNE4 (KCNE4 Products)
Background: Synonyms: Minimum potassium ion channel related peptide 3, MinK related peptide 3,	

Potassium channel subunit beta MiRP3, Potassium voltage gated channel subfamily E member 4, KCNE4\_HUMAN.

Background: Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. This gene encodes a member of the potassium channel, voltage-gated, isk-related subfamily. This member is a type I membrane protein, and a beta subunit that assembles with a potassium channel alpha-subunit to modulate the gating kinetics and enhance stability of the multimeric complex. This gene is prominently expressed in the embryo and in adult uterus. [provided by RefSeq, Jul 2008].

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
	(

IF(IHC-F) 1:50-200 IF(ICC) 1:50-200

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months