# antibodies -online.com





## anti-KCNG3 antibody (AA 251-350) (Alexa Fluor 680)



Go to Product page

( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	KCNG3
Binding Specificity:	AA 251-350
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KCNG3 antibody is conjugated to Alexa Fluor 680
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human KCNG3
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit,Guinea Pig
Purification:	Purified by Protein A.

### **Target Details**

Target:	KCNG3	
Alternative Name:	KCNG3 (KCNG3 Products)	
Background:	Synonyms: KCNG 3, Kcng3, KCNG3_HUMAN, KV10.1, Kv10.1a, Kv10.1b, KV6.3,	

OTTHUMP00000201478, OTTHUMP00000201479, Potassium voltage gated channel subfamily G member 3, Potassium voltage-gated channel subfamily G member 3, Voltage gated potassium channel 6.3, Voltage gated potassium channel Kv10.1, Voltage gated potassium channel subunit Kv10.1, Voltage gated potassium channel subunit Kv6.3, Voltage gated potassium channel subunit Kv6.4, Voltage-gated potassium channel subunit Kv10.1, Voltage-gated potassium channel subunit Kv10.1, Voltage-gated potassium channel subunit Kv6.3.

Background: Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. This gene encodes a member of the potassium channel, voltage-gated, subfamily G. This member is a gamma subunit functioning as a modulatory molecule. Alternative splicing results in two transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2008].

#### **Application Details**

Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	