

Datasheet for ABIN5005897

anti-KLF2/4 antibody (AA 415-513) (AbBy Fluor® 750)



()	ve	r\/i	Δ	۱۸/
\circ	V C	1 V		v v

Overview		
Quantity:	100 μL	
Target:	KLF2/4	
Binding Specificity:	AA 415-513	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This KLF2/4 antibody is conjugated to AbBy Fluor® 750	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic pentide derived from human KLF/	

Immunogen:	KLH conjugated synthetic peptide derived from human KLF4
Isotype:	IgG
Specificity:	This antibody may crossreact with KLF2 due to high sequence similarity.
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Cow,Sheep,Pig,Horse,Chicken,Guinea Pig
Purification:	Purified by Protein A.

Target Details

Target: KLF2/4

Target Details

Alternative Name:	KLF2/4 (KLF2/4 Products)		
Background:	Synonyms: EZF, GKLF, Krueppel-like factor 4, Epithelial zinc finger protein EZF, Gut-enriched krueppel-like factor, KLF4		
	Background: Transcription factor, can act both as activator and as repressor. Binds the 5'-		
	CACCC-3' core sequence. Binds to the promoter region of its own gene and can activate its own		
	transcription. Regulates the expression of key transcription factors during embryonic		
	development. Plays an important role in maintaining embryonic stem cells, and in preventing		
	their differentiation. Required for establishing the barrier function of the skin and for postnatal		
	maturation and maintenance of the ocular surface. Involved in the differentiation of epithelial		
	cells and may also function in skeletal and kidney development. Contributes to the down-		
	regulation of p53/TP53 transcription.		
Gene ID:	9314		
UniProt:	043474		
Application Details			
Application Notes:	FCM 1:20-100		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

ш	Jand	lina
г	land	1111()
•	10110	9

Expiry Date:

12 months