-online.com antibodies

## Datasheet for ABIN5006010 anti-LACTB2 antibody (Alexa Fluor 680)



| Overview          |  |
|-------------------|--|
| Quantity:         | 100 μL   |
| Target:           | LACTB2   |
| Reactivity:       | Human, Mouse, Rat  |
| Host:             | Rabbit   |
| Clonality:        | Polyclonal   |
| Conjugate:        | This LACTB2 antibody is conjugated to Alexa Fluor 680  |
| Application:      | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))                  |
| Product Details   |  |
| Immunogen:        | KLH conjugated synthetic peptide derived from human LACTB2                                       |
| Isotype:          | IgG  |
| Cross-Reactivity: | Human, Mouse, Rat  |
| Purification:     | Purified by Protein A.   |
| Target Details    |  |
| Target:           | LACTB2   |
| Alternative Name: | LACTB2 (LACTB2 Products)   |
| Background:       | Synonyms: Beta lactamase like protein 2, Beta-lactamase-like protein 2, CGI 83,                  |
|                   | LACB2_HUMAN, Lactamase beta 2, LACTB2.   |
|                   | Background: Penicillin refers to any member of beta-lactam antibiotics group. These agents are   |
|                   | identified by a beta-lactam ring within their molecular structure. As the most widely used group |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN5006010 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

|                     | of antibiotics available, beta-lactams are used for the treatment of bacterial infections usually<br>caused by gram-positive organisms. Beta-lactam antibiotics are bactericidal, functioning to<br>inhibit the synthesis of the peptidoglycan layer of bacterial cell walls. Bacterial penicillin-binding<br>proteins and beta-lactamases constitute a large family of serine proteases that perform |
|---------------------|---|
|                     | essential functions in the synthesis and maintenance of peptidoglycan cell wall. Notably, beta-<br>lactamases cleave beta-lactams, therefore providing the bacteria with resistance to the  |
|                     | antibiotic. Homologues of beta-lactamases occur in many species, including human, rat, cow, rabbit, pig, xenopus, zebrafish, and C. elegans. The human homologues, LACTB and LACTB2,  |
|                     | are active-site-serine enzymes thought to be involved in metabolism.  |
| Gene ID:            | 51110   |
| Application Details |   |
| Application Notes:  | IF(IHC-P) 1:50-200  |
| Restrictions:       | For Research Use only   |
| Handling            |   |
| Format:             | Liquid  |
| Concentration:      | 1 μg/μL   |
| Buffer:             | Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.   |
| Preservative:       | ProClin   |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.  |
| Storage:            | -20 °C  |
| Storage Comment:    | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.   |
| Expiry Date:        | 12 months   |