# antibodies .- online.com







# anti-LALBA antibody (AA 61-142) (Alexa Fluor 680)



( )	ve	K\ /		A .
	$\cup$	1 V/	-	V۷

Quantity:	100 μL
Target:	LALBA
Binding Specificity:	AA 61-142
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LALBA antibody is conjugated to Alexa Fluor 680
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human LALBA/alpha Lactalbumin	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	Purified by Protein A.	

# **Target Details**

Target:	LALBA
Alternative Name:	LALBA/alpha Lactalbumin (LALBA Products)
Background:	Synonyms: a-LACTA, alfaLA, Alpha-lactalbumin, Lactalbumin alpha, Lactose synthase B protein,

LALBA, LALBA\_HUMAN, Lysozyme-like protein 7, LYZL7.

Background: Alpha-lactalbumin is the B protein of lactose synthetase secreted by the mammary epithelial cells. It is a potent Ca2+-elevating and apoptosis-inducing agent with broad, yet selective, cytotoxic activity. Multimeric ?lactalbumin has been shown to kill all transformed, embryonic and lymphoid cells tested, but not mature epithelial elements. This suggests that milk contributes to mucosal immunity not only by furnishing antimicrobial molecules but also by policing the function of lymphocytes and epithelium. ?lactalbumin may be helpful in discovering the site of origin of metastatic breast tumors. Human lactalbumin contains 123 amino acid residues. Comparison of the 5' flanking sequences of the two Alphalactalbumin genes with those of five casein genes reveals the presence of a highly conserved region extending from position -140 to -110 in all seven sequences examined, suggesting a possible regulatory role in the hormonal control or tissue-specific expression of milk protein genes in the mammary gland.

Gene ID: 3906

UniProt: P00709

### **Application Details**

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months