

Datasheet for ABIN5006220

**anti-BIRC7 antibody (AA 101-200) (AbBy Fluor® 750)**[Go to Product page](#)

## Overview

|                      |                                                                                                                                   |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Quantity:            | 100 µL                                                                                                                            |
| Target:              | BIRC7                                                                                                                             |
| Binding Specificity: | AA 101-200                                                                                                                        |
| Reactivity:          | Human, Mouse, Rat                                                                                                                 |
| Host:                | Rabbit                                                                                                                            |
| Clonality:           | Polyclonal                                                                                                                        |
| Conjugate:           | This BIRC7 antibody is conjugated to AbBy Fluor® 750                                                                              |
| Application:         | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)),<br>Immunofluorescence (Cultured Cells) (IF (cc)) |

## Product Details

|                       |                                                           |
|-----------------------|-----------------------------------------------------------|
| Immunogen:            | KLH conjugated synthetic peptide derived from human Livin |
| Isotype:              | IgG                                                       |
| Cross-Reactivity:     | Human, Mouse, Rat                                         |
| Predicted Reactivity: | Dog,Cow                                                   |
| Purification:         | Purified by Protein A.                                    |

## Target Details

|                   |                                          |
|-------------------|------------------------------------------|
| Target:           | BIRC7                                    |
| Alternative Name: | Livin ( <a href="#">BIRC7 Products</a> ) |

## Target Details

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Background: | <p>Synonyms: KIAP, LIVIN, MLIAP, RNF50, ML-IAP, Baculoviral IAP repeat-containing protein 7, Kidney inhibitor of apoptosis protein, Melanoma inhibitor of apoptosis protein, RING finger protein 50, BIRC7, UNQ5800/PRO19607/PRO21344</p> <p>Background: Apoptotic regulator capable of exerting proapoptotic and anti-apoptotic activities and plays crucial roles in apoptosis, cell proliferation, and cell cycle control. Its anti-apoptotic activity is mediated through the inhibition of CASP3, CASP7 and CASP9, as well as by its E3 ubiquitin-protein ligase activity. As it is a weak caspase inhibitor, its anti-apoptotic activity is thought to be due to its ability to ubiquitinate DIABLO/SMAC targeting it for degradation thereby promoting cell survival. May contribute to caspase inhibition, by blocking the ability of DIABLO/SMAC to disrupt XIAP/BIRC4-caspase interactions. Protects against apoptosis induced by TNF or by chemical agents such as adriamycin, etoposide or staurosporine. Suppression of apoptosis is mediated by activation of MAPK8/JNK1, and possibly also of MAPK9/JNK2. This activation depends on TAB1 and NR2C2/TAK1. In vitro, inhibits CASP3 and proteolytic activation of pro-CASP9. Isoform 1 blocks staurosporine-induced apoptosis. Isoform 2 blocks etoposide-induced apoptosis. Isoform 2 protects against natural killer (NK) cell killing whereas isoform 1 augments killing.</p> |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|          |       |
|----------|-------|
| Gene ID: | 79444 |
|----------|-------|

|          |                        |
|----------|------------------------|
| UniProt: | <a href="#">Q96CA5</a> |
|----------|------------------------|

## Application Details

|                    |                                                              |
|--------------------|--------------------------------------------------------------|
| Application Notes: | IF(IHC-P) 1:50-200<br>IF(IHC-F) 1:50-200<br>IF(ICC) 1:50-200 |
|--------------------|--------------------------------------------------------------|

|               |                       |
|---------------|-----------------------|
| Restrictions: | For Research Use only |
|---------------|-----------------------|

## Handling

|                    |                                                                                                             |
|--------------------|-------------------------------------------------------------------------------------------------------------|
| Format:            | Liquid                                                                                                      |
| Concentration:     | 1 µg/µL                                                                                                     |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative:      | ProClin                                                                                                     |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be                         |

## Handling

---

handled by trained staff only.

---

Storage: -20 °C

---

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

Expiry Date: 12 months