

Datasheet for ABIN5006523

anti-MORG1 antibody (AA 201-315) (AbBy Fluor® 750)



_						
	V	\triangle	r۱	/1	\triangle	Λ/
	' V '		ΙV			v v

Target:

Alternative Name:

Quantity:	100 μL
Target:	MORG1 (wdr83)
Binding Specificity:	AA 201-315
Reactivity:	Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MORG1 antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence
	(Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human MAPK organizer 1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Rabbit
	11011101111111111111111111111111111111
Purification:	Purified by Protein A.

MORG1 (wdr83)

MAPK organizer 1 (wdr83 Products)

Target Details

-			
Background:	Synonyms: MORG1, WD repeat domain-containing protein 83, Mitogen-activated protein kinase		
	organizer 1, MAPK organizer 1, WDR83		
	Background: Molecular scaffold protein for various multimeric protein complexes. Acts as a		
	module in the assembly of a multicomponent scaffold for the ERK pathway, linking ERK		
	responses to specific agonists. At low concentrations it enhances ERK activation, whereas high		
	concentrations lead to the inhibition of ERK activation. Also involved in response to hypoxia by		
	acting as a negative regulator of HIF1A/HIF-1-alpha via its interaction with EGLN3/PHD3. May		
	promote degradation of HIF1A. May act by recruiting signaling complexes to a specific		
	upstream activator (By similarity). May also be involved in pre-mRNA splicing.		
Gene ID:	84292		
UniProt:	Q9BRX9		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		