antibodies -online.com





anti-MARK4 antibody (pSer423) (Alexa Fluor 680)



Go to Product page

| Overview | |
|-----------------------|--|
| Quantity: | 100 μL |
| Target: | MARK4 |
| Binding Specificity: | pSer423 |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This MARK4 antibody is conjugated to Alexa Fluor 680 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic phosphopeptide derived from human MARK4 around the phosphorylation site of Ser423. |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse |
| Predicted Reactivity: | Rat,Dog,Cow,Horse |
| Purification: | Purified by Protein A. |
| Target Details | |
| Target: | MARK4 |

Target Details

| Alternative Name: | MARK4 (MARK4 Products) |
|---------------------|--|
| Background: | Synonyms: MARK4phospho 423, MARK 4, MARK-4, MARK 4L, MARK L1, MARK4, MARK4 serine |
| | / threonine protein kinase, MARK4 serine/threonine protein kinase, MARK4_HUMAN, MARKL 1, |
| | MARKL1, MAP / microtubule affinity regulating kinase 4, MAP / microtubule affinity regulating |
| | kinase 4L, MAP/microtubule affinity regulating kinase 4, MAP/microtubule affinity regulating |
| | kinase like 1, MAP/microtubule affinity-regulating kinase 4, MAP/microtubule affinity-regulating |
| | kinase-like 1, Putative protein product of Nbla00650, FLJ90097, KIAA1860, mKIAA1860. |
| | Background: This gene encodes a member of the microtubule affinity-regulating kinase family. |
| | These protein kinases phosphorylate microtubule-associated proteins and regulate the |
| | transition between stable and dynamic microtubules. The encoded protein is associated with |
| | the centrosome throughout mitosis and may be involved in cell cycle control. Expression of this |
| | gene is a potential marker for cancer, and the encoded protein may also play a role in |
| | Alzheimer's disease. Pseudogenes of this gene are located on both the short and long arm of |
| | chromosome 3. Alternatively spliced transcript variants encoding multiple isoforms have been |
| | observed for this gene. [provided by RefSeq, Dec 2010]. |
| Gene ID: | 57787 |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| | |

Handling

| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
|------------------|---|
| Expiry Date: | 12 months |