# antibodies -online.com





# anti-NEUROD6 antibody (AA 31-130) (Alexa Fluor 750)



Go to Product page

| $\sim$ |     |     |     |
|--------|-----|-----|-----|
|        | N/P | r\/ | i⊢₩ |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | NEUROD6  |
| Binding Specificity: | AA 31-130  |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This NEUROD6 antibody is conjugated to Alexa Fluor 750   |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

#### **Product Details**

| Immunogen:            | KLH conjugated synthetic peptide derived from human MATH2/NEUROD6 |
|-----------------------|---|
| Isotype:              | IgG   |
| Predicted Reactivity: | Human,Mouse,Rat,Cow,Monkey  |
| Purification:         | Purified by Protein A.  |

### **Target Details**

| Target:   | NEUROD6                          |
|---|----------------------------------|
| Alternative Name:   | MATH2/NEUROD6 (NEUROD6 Products) |
| Background: Synonyms: Atoh 2, Atoh2, Atonal homolog 2, Atonal protein homolog 2, Atonal protein |                                  |

homolog2, bHLH a2 antibodybHLHa 2, bHLHa2, Class A basic helix-loop-helix protein 2, Helix loop helix protein mATH 2, Helix loop helix protein mATH 2, MATH 2, Math2, NDF 6, NDF6, NDF6\_HUMAN, Neuro D6, NeuroD6, Neurogenic dferentiation 6, Neurogenic dferentiation factor 6, Nex 1 antibodyNex 1m, Nex, Nex1, Nex1 m, Nex1m, Protein atonal homolog 2, Protein atonal homolog2.

Background: The Drosophila atonal gene produces a protein with basic helix loop helix (bHLH) domains that plays an essential role in the development of the Drosophila nervous system. Mammalian atonal homolog 2 (MATH-2) is a helix-loop-helix (HLH) transcription factor that is structurally homologous to the product of Drosophila atonal gene. MATH-2 is a 337 amino acid protein with an atonal-related basic HLH domain. In mice, expression of MATH-2 takes place by embryonic day 11.5 and initially localizes to the wall of brain vesicles and in the spinal cord. It is expressed in the cortical plate and the mantle layer in the developing central nervous system, and is limited to the nervous system in adults. Adult mouse cerebrums produce a high level of MATH-2 RNA with lower levels in other neuronal tissues. Research studies suggest that MATH-2 may function as a trans-acting factor involved in the development and maintenance of the mammalian nervous system.

#### **Application Details**

| Application Notes: | IF(IHC-P) 1:50-200  |
|--------------------|---|
|                    | IF(IHC-F) 1:50-200  |
|                    | IF(ICC) 1:50-200  |
| Restrictions:      | For Research Use only   |
| Handling           |   |
| Format:            | Liquid  |
| Concentration:     | 1 μg/μL   |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
|                    | 50 % Glycerol.  |
| Preservative:      | ProClin   |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be         |
|                    | handled by trained staff only.  |
| Storage:           | -20 °C  |

## Handling

| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
|------------------|---|
| Expiry Date:     | 12 months   |