

## Datasheet for ABIN5006653

## anti-CSF1R antibody (AA 201-300) (AbBy Fluor® 680)



Out to Froduct page

Overview	
Quantity:	100 μL
Target:	CSF1R
Binding Specificity:	AA 201-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CSF1R antibody is conjugated to AbBy Fluor® 680
Application:	Flow Cytometry (FACS), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human MCSF receptor
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat
Purification:	Purified by Protein A.
Target Details	
Target:	CSF1R

## Target Details

Background:	Synonyms: FMS, CSFR, FIM2, HDLS, C-FMS, CD115, CSF-1R, M-CSF-R, Macrophage colony-
	stimulating factor 1 receptor, CSF-1 receptor, CSF-1-R, Proto-oncogene c-Fms, CSF1R, CSF1R_HUMAN
	Background: The protein encoded by this gene is the receptor for colony stimulating factor 1, a
	cytokine which controls the production, differentiation, and function of macrophages. This
	receptor mediates most if not all of the biological effects of this cytokine. Ligand binding
	activates the receptor kinase through a process of oligomerization and transphosphorylation.
	The encoded protein is a tyrosine kinase transmembrane receptor and member of the
	CSF1/PDGF receptor family of tyrosine-protein kinases. Mutations in this gene have been
	associated with a predisposition to myeloid malignancy. The first intron of this gene contains a
	transcriptionally inactive ribosomal protein L7 processed pseudogene oriented in the opposite
	direction. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec
	2013]
Gene ID:	1436
UniProt:	P07333
Pathways:	RTK Signaling, Inositol Metabolic Process, Cell-Cell Junction Organization
Application Details	
Application Notes:	FCM 1:20-100
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

## Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months