

### Datasheet for ABIN5006909

# anti-MYLK antibody (AA 651-750) (AbBy Fluor® 680)



Overview	

Quantity:	100 μL
Target:	MYLK
Binding Specificity:	AA 651-750
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MYLK antibody is conjugated to AbBy Fluor® 680
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human MLCK
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep,Pig,Horse,Chicken,Guinea Pig
Purification:	Purified by Protein A.

## Target Details

Target:	MYLK
Alternative Name:	MLCK (MYLK Products)

Background:	Synonyms: KRP, AAT7, MLCK, MLCK1, MYLK1, s mMLCK, MLCK108, MLCK210, MSTP083,
	Myosin light chain kinase, smooth muscle, Kinase-related protein, Telokin, MYLK
	Background: This gene, a muscle member of the immunoglobulin gene superfamily, encodes
	myosin light chain kinase which is a calcium/calmodulin dependent enzyme. This kinase
	phosphorylates myosin regulatory light chains to facilitate myosin interaction with actin
	filaments to produce contractile activity. This gene encodes both smooth muscle and
	nonmuscle isoforms. In addition, using a separate promoter in an intron in the 3' region, it
	encodes telokin, a small protein identical in sequence to the C-terminus of myosin light chain
	kinase, that is independently expressed in smooth muscle and functions to stabilize
	unphosphorylated myosin filaments. A pseudogene is located on the p arm of chromosome 3.
	Four transcript variants that produce four isoforms of the calcium/calmodulin dependent
	enzyme have been identified as well as two transcripts that produce two isoforms of telokin.
	Additional variants have been identified but lack full length transcripts. [provided by RefSeq, Jul
	2008]
Gene ID:	4638
UniProt:	Q15746
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months