





anti-S100A8/A9 Complex (Calprotectin) antibody (Alexa Fluor 750)



Go to Product page

()\	ve	K\ /	01	Α .
1 11	$/ \square$	I \/ I	\square	/\/

Quantity:	100 μL
Target:	S100A8/A9 Complex (Calprotectin) (S100A8/A9)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This S100A8/A9 Complex (Calprotectin) antibody is conjugated to Alexa Fluor 750
Application:	Western Blotting (WB)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MRP8+MRP14
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	S100A8/A9 Complex (Calprotectin) (S100A8/A9)
Alternative Name:	MRP8,MRP14 (S100A8/A9 Products)
Background:	Synonyms: MRP 14, MRP-14, MRP 8, MRP8, MRP-8, N, P14, P8, Protein S100 A8, Protein S100
	A9, S100 A8, S100 A9, S100 calcium binding protein A8, S100 calcium binding protein A9,
	S100A8, S100A9, Urinary stone protein band A, 60B8AG, CAGA, CAGB, Calgranulin A,
	Calgranulin B, Calprotectin L1H subunit, Calprotectin L1L subunit, CFAG, CGLA, CGLB, CP 10,

CP10, Cystic fibrosis antigen, L1AG, Leukocyte L1 complex heavy chain, Leukocyte L1 complex light chain, LIAG, MA387, MAC387, M, MRP8 + MRP14, Migration inhibitory factor related protein 14, Migration inhibitory factor related protein 8.

Background: The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in the inhibition of casein kinase and as a cytokine. Altered expression of this protein is associated with the disease cystic fibrosis. [provided by RefSeq].

Gene ID:

85320

Pathways:

S100 Proteins

Application Details

Application Notes: IF(IHC-P) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months