antibodies.com

Datasheet for ABIN5007289 anti-NAT10 antibody (AA 51-150) (Alexa Fluor 750)



Overview

Quantity:	100 µL
Target:	NAT10
Binding Specificity:	AA 51-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NAT10 antibody is conjugated to Alexa Fluor 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NAT10
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	NAT10
Alternative Name:	NAT10 (NAT10 Products)
Background:	Synonyms: ALP, hALP, KIAA1709, N acetyltransferase 10, N acetyltransferase 10 GCN5 related,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN5007289 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	N acetyltransferase like, N acetyltransferase like protein, N-acetyltransferase 10, NAT10,
	NAT10_HUMAN, NET43.
	Background: Has protein acetyltransferase activity in vitro. Can acetylate both histones and
	microtubules. Histone acetylation may regulate transcription and mitotic chromosome de-
	condensation. Activates telomerase activity by stimulating the transcription of TERT, and may
	also regulate telomerase function by affecting the balance of telomerase subunit assembly,
	disassembly, and localization. Acetylates alpha-tubulin, which may affect microtubule stability
	and cell division.
Gene ID:	55226
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months