antibodies -online.com





anti-NBL1 antibody (AA 75-180) (Alexa Fluor 750)



()	ve	K\ /		
	\cup	1 V/	-	V۷

Quantity:	100 μL	
Target:	NBL1	
Binding Specificity:	AA 75-180	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NBL1 antibody is conjugated to Alexa Fluor 750	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NBL1/DAND1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	NBL1
Alternative Name:	NBL1 (NBL1 Products)

Target Details

Background:	Synonyms: DAN domain family member 1, DAN antibody DAND 1, DAND1, Dferential screening	
	selected gene aberrant in neuroblastoma, NB antibody NBL 1, Neuroblastoma candidate region	
	suppression of tumorigenicity 1, Neuroblastoma suppression of tumorigenicity 1,	
	Neuroblastoma suppressor of tumorigenicity 1, NO 3, NO3, Zinc finger protein DAN.	
	Background: NBL1 (Neuroblastoma, suppression of tumorigenicity 1) is a candidate tumor	
	suppressor of neuroblastoma and may play a role in preventing cells from entering the final	
	stage (G1/S) of the transformation process. NBL1 is a member of the evolutionarily conserved	
	CAN (Cerberus and DAN) family of proteins, which contain a domain resembling the CTCK (C-	
	terminal cystine knot-like) motif found in a number of signaling molecules. It is a member of a	
	class of glycoproteins shown to be secreted inhibitors of the transforming growth factor-beta	
	(TGF-beta) and bone morphogenic protein pathways.	
Gene ID:	4681	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	