

Datasheet for ABIN5007338

anti-NDEL1 antibody (pSer242) (AbBy Fluor® 680)



Overview

Quantity:	100 μL
Target:	NDEL1
Binding Specificity:	pSer242
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NDEL1 antibody is conjugated to AbBy Fluor® 680
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence
	(Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human NDEL1 around the
	phosphorylation site of Ser242
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	NDEL1

Target Details

Alternative Name:	NDEL1 (NDEL1 Products)
Background:	Synonyms: EOPA, NDE2, NUDEL, MITAP1, NDE1L1, Nuclear distribution protein nudE-like 1,
	Protein Nudel, Mitosin-associated protein 1, NDEL1
	Background: Required for organization of the cellular microtubule array and microtubule
	anchoring at the centrosome. May regulate microtubule organization at least in part by
	targeting the microtubule severing protein KATNA1 to the centrosome. Also positively regulates
	the activity of the minus-end directed microtubule motor protein dynein. May enhance dynein-
	mediated microtubule sliding by targeting dynein to the microtubule plus ends. Required for
	several dynein- and microtubule-dependent processes such as the maintenance of Golgi
	integrity, the centripetal motion of secretory vesicles and the coupling of the nucleus and
	centrosome. Also required during brain development for the migration of newly formed neurons
	from the ventricular/subventricular zone toward the cortical plate. Plays a role, together with
	DISC1, in the regulation of neurite outgrowth. Required for mitosis in some cell types but
	appears to be dispensible for mitosis in cortical neuronal progenitors, which instead requires
	NDE1. Facilitates the polymerization of neurofilaments from the individual subunits NEFH and
	NEFL.
Gene ID:	81565
UniProt:	Q9GZM8
Pathways:	Regulation of Cell Size
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months