

Datasheet for ABIN5007450

anti-LRRC4C antibody (AA 561-640) (AbBy Fluor® 750)



Go to Product page

\sim						
	W	0	rv	10	W	

Quantity:	100 μĽ	
Target:	LRRC4C	
Binding Specificity:	AA 561-640	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This LRRC4C antibody is conjugated to AbBy Fluor® 750	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Netrin G1 ligand	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Horse,Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Target:	LRRC4C	
Alternative Name:	Netrin G1 ligand (LRRC4C Products)	

Target Details

Background:	Synonyms: Leucine rich repeat containing 4C, Leucine-rich repeat-containing protein 4C,		
	LRC4C_HUMAN, Lrrc4C, Netrin-G1 ligand, NGL 1, NGL-1, NGL1.		
	Background: NGL-1 is a single pass type I membrane protein that acts as a cell adhesion		
	molecule. It contains nine leucine-rich repeats (LRR) and one Ig-like C2-type domain. NGL-1 is		
	predominantly expressed in the striatum and the cerebral cortex of both the embryonic and		
	adult brain. NGL-1 specifically interacts with Netrin G1 (a molecule involved in axon guidance in		
	the developing central nervous system) via its LRR region. NGL-1 plays a role in the regulation		
	of neurite outgrowth of developing thalamic neurons. Soluble NGL-1 inhibits thalamic axon		
	outgrowth while NGL-1 that is bound to the surface of developing thalamocortical axons		
	stimulates growth. NGL-1 also interacts with Whirlin possibly stablizing interstereociliar links.		
Gene ID:	22854		
Pathways:	Synaptic Membrane		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		