# .-online.com antibodies

## Datasheet for ABIN500762 anti-SLITRK4 antibody (N-Term)

2 Images



## Overview

Quantity:	0.1 mg
Target:	SLITRK4
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLITRK4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)

## Product Details

Immunogen:	Slitrk4 antibody was raised against a 14 amino acid peptide from near the amino terminus of human Slitrk4.
Isotype:	lgG
Specificity:	This antibody detects SLITRK4 at N-term. It is predicted to have no cross-reactivity to other Slitrk proteins.
Cross-Reactivity (Details):	Species reactivity (tested):Human, mouse, rat
Purification:	Peptide affinity chromatography
Target Details	


Target:


#### SLITRK4

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN500762 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	SLITRK4 (SLITRK4 Products)
Background:	SLIT and NTRK-like family 4 (Slitrk4) is a member a protein family consisting of six homologous transmembrane proteins (Slitrk1-6) that share two conserved leucine-rich repeat domains in the extracellular domain and have significant homology to Slit, a secreted axonal growth-controlling protein. These proteins are also homologous to trk neurotrophin receptors in their intracellular domains. Expression of Slitrk proteins is highly restricted to neural and brain tumor tissues, but varies within the protein family. Like every other Slitrk protein except Slitrk1, overexpression of Slitrk4 inhibited neurite outgrowth in cultured neurons, suggesting that these proteins are involved in the control of neurite outgrowth.Synonyms: SLIT and NTRK-like protein 4
Gene ID:	139065
UniProt:	Q8IW52
Application Details	
Application Notes: Restrictions:	ELISA. Western blot: 0.5 - 1 µg/mL. Immunohistochemistry on paraffin sections. Other applications not tested. Optimal dilutions are dependent on conditions and should be determined by the user. For Research Use only
Handling	
Buffer:	PBS containing 0.02 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2 - 8 °C for up to one month or (in aliquots) at -20 °C for longer.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN500762 | 09/12/2023 | Copyright antibodies-online. All rights reserved.





### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** Immunohistochemistry of Slitrk4 in human brain tissue with this product at  $2.5 \,\mu$ g/ml.

## Western Blotting

**Image 2.** Western blot analysis of Slitrk4 in mouse brain tissue lysate with this product at (A) 0.5 and (B) 1  $\mu$ g/ml.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN500762 | 09/12/2023 | Copyright antibodies-online. All rights reserved.